

DRANSFELD

“*Dransfeld – where the quality and price are right*”, under this motto we produce high-quality, technically advanced vendor parts for the furniture, timber, sanitary and electrical industries.

We always have many of our 25,000 different articles in stock, so that we can supply you quickly and reliably.

If you require an individual solution to a problem, we will gladly develop and manufacture the optimum product for you. Horizontal and vertical integration are some of our key strengths. At our company we have modern manufacturing technologies for pressing and metal forming, plastic injection moulding and mechanical and galvanic surface finishing.

Please note that we sell **exclusively to the trade**. The minimum order value is 150 €.

We will gladly be of service to you! Our team will give you advice and support at any time!

Tel. +49 (0) 2373 / 9697 -

Sales
Chair Nails,
Furniture Gliders

**Thorsten
Schwerdtfeger** - 21 thorsten.schwerdtfeger@dransfeld.biz



Sales
Export

Rita Canzler - 17 rita.canzler@dransfeld.biz



General Manager

Jörg Dransfeld - 0 joerg.dransfeld@dransfeld.biz



Dransfeld GmbH & Co. KG
Bräukerweg 130
D-58708 Menden

Tel: 0049-2373 96970
Fax: 0049-2373 6943
e-mail: info@dransfeld.biz
www.dransfeld.biz

Table of Contents

Chair Nails / Furniture Nails / Decorative Nails / Tacks / Hooks

Upholstery and Decorative Nails	1
Chair Nails magazined on strips	9
Decorative Nail strips	9
Colour Chart	10
Tacks, blued	11
Nails for upholstery	11
Wire Pins	11
Wire Staples	11
Nails with pointed shank	12
Chair buttons with wire eye	13
Button thread	13
Plastic head pins	13
Carpet Bushes	14
Carpet Nails	14
Carpet Pins	14
Wallpaper sample book nails	15
Suitcase Nails	15
Suitcase Rivets	16
Floor Studs	16
Suitcase Bottom Studs	16
Base Rosettes	17
Steel pins for picture hanging	17
Steel Hooks	17

Furniture Gliders / Gliders / Small Parts

Furniture Gliders made of plastic, metal, with felt for chairs, tables, armchairs	18
Stoppers	26
Furniture Leg Cups	26
Shelf Supports	27
Small Parts	27
Self-adhesive felts	29

Mirror Screws / Woodscrews / Threaded Screws / Triangles / Picture Hooks / Pins

Mirror Screws / Decorative Screws	30
Woodscrews/ Threaded Screws suitable for Mirror Screws	31
Triangle / Picture Hooks / Pins	Fehler! Textmarke nicht definiert.

Washers / Rosette Washers for Screws / Sealing Screws

Washers	33
Rosette Washers for screws	34
Rosette Washers for sealing screws	34

Tube Caps / Tube Glides

Inserts for square and rectangular tubes	35
Inserts for round tubes	36
Plastic furniture gliders for round tubes	37
Glides for Steel Tube Furniture / Supple Glides	38
Adjusting Plates with regulating screw	42
Handwheels and Adjusting Knobs	44


Stamped and Drawn Parts	45
--------------------------------------	-----------

Upholstery and Decorative Nails




Flat Head Upholstery Nails, also available with 2 prongs.
Colours as per colour chart.

Prod. Nr.	Head ø [mm]	Head height [mm]	Wire ø [mm]	Shank length [mm]	Weight per 1.000	Packing unit
1 ¼	6,0	1,6	1,2	10	0,32	1.000
20 ⅓	6,5	1,8	1,4	10	0,38	1.000
50 ⅓	7,5	2,2	1,4	10	0,47	1.000
60 ⅓	8,0	2,3	1,4	13	0,57	1.000
90 ⅓	9,0	2,4	1,4	13	0,63	1.000
100 ⅓	9,5	2,5	1,4	13	0,63	1.000
110 ⅓	10,0	2,8	1,4	13	0,63	1.000
130 ⅓	11,0	2,8	1,4	13	0,95	1.000
160 ⅓	12,5	3,0	1,4	13	1,13	1.000
1507	14,0	4,0	1,60	14	1,56	1.000
1505	16,0	4,2	1,75	14	2,10	500
1504	18,0	4,5	1,75	14	2,60	500
1503	20,0	5,0	1,75	14	2,85	500
1501	22,0	5,5	2,0	16	5,05	500
1500	24,0	6,0	2,0	16	6,58	250
1499	26,0	8,0	2,0	16	7,56	250
1498	28,0	7,0	2,0	17	9,47	250
1497	30,0	8,0	2,0	18	10,06	250



Domed Head Upholstery Nails, also available with 2 prongs.
Colours as per colour chart.

Prod. Nr.	Head ø [mm]	Head height [mm]	Wire ø [mm]	Shank length [mm]	Weight per 1.000	Packing unit
0	5,5	2,2	1,2	10	0,25	1.000
20 ½	6,5	2,5	1,4	13	0,46	1.000
610	8,0	3,0	1,4	13	0,56	1.000
630	9,0	3,4	1,4	13	0,63	1.000
650	10,0	3,8	1,4	13	0,78	1.000
660	10,5	4,0	1,4	13	0,95	1.000
670	11,0	4,2	1,4	13	1,06	1.000
680	12,0	4,5	1,4	13	1,28	1.000
507	12,5	4,5	1,6	14	1,31	1.000
506	14,0	5,0	1,8	14	1,61	500
504	16,0	5,7	1,8	14	2,14	500
503	18,0	6,0	1,8	15	2,68	500
502	20,0	7,0	2,0	17	4,10	500
500	22,0	7,6	2,0	17	5,15	250
499	25,0	8,5	2,0	17	7,80	250



Conical shape, also available with 2 prongs

Colours as per colour chart.

Prod. Nr.	Head ø [mm]	Head height [mm]	Wire ø [mm]	Shank length [mm]	Weight per 1.000	Packing unit
6 to	6,5	4,0	1,4	10	0,35	1.000
6	7,5	4,5	1,4	10	0,59	1.000
5	8,0	5,0	1,4	13	0,97	1.000
4	9,5	6,0	1,4	13	0,98	1.000
3	10,5	6,5	1,4	13	1,06	1.000
2	11,5	7,5	1,4	13	1,39	1.000
1	12,5	8,5	1,4	13	2,40	1.000



Leather Imitation Nails, with smooth head

Colours as per colour chart.

Prod. Nr.	Head ø [mm]	Head height [mm]	Wire ø [mm]	Shank length [mm]	Weight per 1.000	Packing unit
265 ½	11,0	3,0	1,4	13	1,07	1.000
263	13,0	3,0	1,4	13	1,20	1.000
262	15,0	3,0	1,6	13	1,83	1.000



Leather Imitation Nails, with grained head

Colours as per colour chart.

Prod. Nr.	Head ø [mm]	Head height [mm]	Wire ø [mm]	Shank length [mm]	Weight per 1.000	Packing unit
1526 P	10,0	2,0	1,4	13	0,73	1.000
1524 P	13,0	3,3	1,4	13	1,40	1.000



Hammered Upholstery Nails, also available with 2 prongs.

Colours as per colour chart.

Prod. Nr.	Head ø [mm]	Head height [mm]	Wire ø [mm]	Shank length [mm]	Weight per 1.000	Packing unit
1508M	10,0	2,5	1,4	13	0,63	1.000
1507M	12,0	2,5	1,4	13	1,07	1.000
1506M	13,0	2,5	1,4	13	1,30	1.000
1505M	15,0	3,0	1,6	13	1,56	1.000
1504M	17,0	4,0	1,6	14	2,09	500
1503M	20,0	5,0	1,6	14	2,92	500



Decorative Nails, also available with 2 prongs.

Colours as per colour chart

Prod. Nr.	Head ø [mm]	Head height [mm]	Wire ø [mm]	Shank length [mm]	Weight per 1.000	Packing unit
510/A	9,0	4,0	1,4	10	0,74	1.000
508/A	12,0	4,5	1,4	13	1,31	1.000
500/A	22,0	8,5	1,75	18	6,58	250



Decorative Nails, also available with 2 prongs.

Colours as per colour chart

Prod. Nr.	Head ø [mm]	Head height [mm]	Wire ø [mm]	Shank length [mm]	Weight per 1.000	Packing unit
558/A	12,0	3,5	1,4	13	1,16	1.000
555/A	20,0	4,0	1,75	14	3,75	500



Decorative Nails, also available with 2 prongs.

Colours as per colour chart

Prod. Nr.	Head ø [mm]	Head height [mm]	Wire ø [mm]	Shank length [mm]	Weight per 1.000	Packing unit
1180/A	13,0	3,5	1,4	13	1,16	1.000
1191/A	16,0	4,0	1,6	14	2,47	500
1193/A	24,0	7,0	1,75	18	6,27	250



Decorative Nails, also available with 2 prongs.

Colours as per colour chart

Prod. Nr.	Head ø [mm]	Head height [mm]	Wire ø [mm]	Shank length [mm]	Weight per 1.000	Packing unit
510/B	9,5	3,5	1,4	11	0,46	1.000
509/B	11,0	4,5	1,4	13	1,02	1.000
508/B	12,0	4,5	1,4	13	1,18	1.000
507/B	12,5	5,5	1,4	13	1,33	1.000
506/B	14,0	5,5	1,6	13	2,10	500
505/B	16,0	6,0	1,75	13	2,57	500



Decorative Nails, also available with 2 prongs.

Colours as per colour chart

Prod. Nr.	Head ø [mm]	Head height [mm]	Wire ø [mm]	Shank length [mm]	Weight per 1.000	Packing unit
640/B	9,5	3,0	1,4	13	0,65	1.000
650/B	10,0	3,5	1,4	13	0,95	1.000
660/B	10,5	4,0	1,4	13	0,99	1.000
670/B	11,0	4,2	1,4	13	1,07	1.000



Decorative Nails, also available with 2 prongs.

Colours as per colour chart


Prod. Nr.	Head ø [mm]	Head height [mm]	Wire ø [mm]	Shank length [mm]	Weight per 1.000	Packing unit
677/C	13,5	2,5	1,4	14	1,58	1.000



Decorative Nails, also available with 2 prongs.

Colours as per colour chart

Prod. Nr.	Head ø [mm]	Head height [mm]	Wire ø [mm]	Shank length [mm]	Weight per 1.000	Packing unit
504/E	14,0	6,0	1,6	13	2,42	500



Decorative Nails, also available with 2 prongs.

Colours as per colour chart

Prod. Nr.	Head ø [mm]	Head height [mm]	Wire ø [mm]	Shank length [mm]	Weight per 1.000	Packing unit
507/F	14,0 (10x10)	4,0	1,75	14	0,99	1.000
503/F	20,0 (14x14)	5,5	1,75	14	2,46	500
501/F	25,0 (18x18)	7,0	1,75	16	4,00	250



Decorative Nails, also available with 2 prongs.

Colours as per colour chart

Prod. Nr.	Head ø [mm]	Head height [mm]	Wire ø [mm]	Shank length [mm]	Weight per 1.000	Packing unit
888/L	24,5 (18x18)	5,5	1,75	14	4,44	500



Decorative Nails, also available with 2 prongs.

Colours as per colour chart

Prod. Nr.	Head ø [mm]	Head height [mm]	Wire ø [mm]	Shank length [mm]	Weight per 1.000	Packing unit
545/M	17,5	5,0	1,75	16	2,60	500



Decorative Nails, also available with 2 prongs.

Colours as per colour chart

Prod. Nr.	Head ø [mm]	Head height [mm]	Wire ø [mm]	Shank length [mm]	Weight per 1.000	Packing unit
1515/M	17,0	3,5	1,75	13	2,55	500



Decorative Nails, also available with 2 prongs.

Colours as per colour chart

Prod. Nr.	Head ø [mm]	Head height [mm]	Wire ø [mm]	Shank length [mm]	Weight per 1.000	Packing unit
1536/M	15,0	3,5	1,6	15	1,68	500
1533/M	21,0	4,5	1,75	15	2,94	500
1530/M	24,5	5,0	1,75	20	6,80	250



Decorative Nails, also available with 2 prongs.

Colours as per colour chart

Prod. Nr.	Head ø [mm]	Head height [mm]	Wire ø [mm]	Shank length [mm]	Weight per 1.000	Packing unit
1611/M	11,0	4,0	1,4	13	1,00	1.000



Decorative Nails, also available with 2 prongs.

Colours as per colour chart

Prod. Nr.	Head ø [mm]	Head height [mm]	Wire ø [mm]	Shank length [mm]	Weight per 1.000	Packing unit
567/N	12,0	4,0	1,4	13	1,40	1000
563/N	19,0	5,5	2,0	16	4,90	500



Decorative Nails, also available with 2 prongs.

Colours as per colour chart

Prod. Nr.	Head ø [mm]	Head height [mm]	Wire ø [mm]	Shank length [mm]	Weight per 1.000	Packing unit
506/O	14,0	5,0	1,6	13	1,45	1.000
504/O	17,5	7,0	1,75	15	3,65	500



Decorative Nails, also available with 2 prongs.

Colours as per colour chart

Prod. Nr.	Head ø [mm]	Head height [mm]	Wire ø [mm]	Shank length [mm]	Weight per 1.000	Packing unit
411/T	11,0	4,5	1,4	13	1,07	1.000



Decorative Nails, also available with 2 prongs.

Colours as per colour chart

Prod. Nr.	Head ø [mm]	Head height [mm]	Wire ø [mm]	Shank length [mm]	Weight per 1.000	Packing unit
509/U	11,5	4,0	1,4	13	1,18	1.000
508/U	13,0	3,4	1,4	13	1,47	1.000
506/U	16,0	5,0	1,6	13	2,41	500



Decorative Nails, also available with 2 prongs.

Colours as per colour chart

Prod. Nr.	Head ø [mm]	Head height [mm]	Wire ø [mm]	Shank length [mm]	Weight per 1.000	Packing unit
556/W	13,0	3,0	1,6	13	1,63	1.000



Decorative Nails, also available with 2 prongs.

Colours as per colour chart

Prod. Nr.	Head ø [mm]	Head height [mm]	Wire ø [mm]	Shank length [mm]	Weight per 1.000	Packing unit
1560	11,0	4,5	1,4	13	1,07	1.000



Decorative Nails, also available with 2 prongs.

Colours as per colour chart

Prod. Nr.	Head ø [mm]	Head height [mm]	Wire ø [mm]	Shank length [mm]	Weight per 1.000	Packing unit
549/W	10,0	3,0	1,4	13	0,80	1.000
548/W	12,0	3,5	1,4	13	0,95	1.000
547/W	14,0	4,0	1,6	14	1,53	1.000
546/W	16,0	4,4	1,75	14	2,18	500
545/W	19,0	5,0	1,75	14	4,13	500



Decorative Nails, also available with 2 prongs.

Colours as per colour chart

Prod. Nr.	Head ø [mm]	Head height [mm]	Wire ø [mm]	Shank length [mm]	Weight per 1.000	Packing unit
548/WH	12,0	4,0	1,4	13	1,08	1.000



Decorative Nails, also available with 2 prongs.

Colours as per colour chart

Prod. Nr.	Head ø [mm]	Head height [mm]	Wire ø [mm]	Shank length [mm]	Weight per 1.000	Packing unit
548/X	9,0	4,0	1,4	13	1,14	1.000
547/X	12,0	4,5	1,4	13	1,55	1.000



Decorative Nails, also available with 2 prongs.

Colours as per colour chart

Prod. Nr.	Head ø [mm]	Head height [mm]	Wire ø [mm]	Shank length [mm]	Weight per 1.000	Packing unit
528/Y	11,0	2,8	1,4	13	0,69	1.000
526/Y	13,0	2,8	1,6	15	0,93	1.000



Upholstery Nails with Plastic Head

Prod. Nr.	Head ø [mm]	Head height [mm]	Wire ø [mm]	Shank length [mm]	Weight per 1.000	Packing unit
A10/12	10,0	4,0	1,4	12	0,46	1.000

Available colours:

● 1 - black	● 10 - red	● 19 - dark brown
● 2 - light grey	● 11 - dark beige	● 20 - violet
● 3 - dark grey	● 12 - lime green	● 21 - old gold
● 4 - white	● 13 - dark green	● 23 - silver
● 5 - blue	● 14 - green	● 24 - pink
● 6 - dark blue	● 15 - olive-green	● 25 - russet
● 7 - sky blue	● 16 - yellow	● 26 - copper
● 8 - light blue	● 17 - beige	
● 9 - bordeaux		

Chair Nails magazined on strips



for pneumatic nail driver

Decorative Nails No. 100 1/3 (head ø 9,5)

100 nails on plastic strips (rolled up) or 100 rolls à 100 = 10.000 nails

Decorative Nails No. 100 1/3 (head ø 9,5)

60 nails on plastic strips. 3.000 Nails/package 1 package = 18.000 pcs. = 300 strips

available in the colours:

- **nickel-plated**
- **brass-plated**
- **old gold spotted**
- **old brass**
- **antique**
- **brass relieved**

1 original carton contains:

100 rolls = 10.000 nails or 18.000 nails

Decorative Nail strips



No. 100 1/3 (head ø 9,5 mm)

1 metre strips

1 carton contains 250 metres of strips and 6.000 loose nails

No. 1505 (head ø 16 mm)

1 metre strips

1 carton contains 125 metres of strips and 2.000 loose nails.

No. 1503 (head ø 20 mm)


























1 metre strips

1 carton contains 100 metres of strips and 1.500 loose nails.

available in the colours:


- **nickel-plated**
- **brass-plated**
- **old gold spotted**
- **brass relieved**

Colour Chart

Colour Group I	No. 050	brass-plated			
	No. 031	nickel-plated			
Colour Group II	No. 013	browned light			
	No. 012	browned normal			
	No. 015	browned dark			
	No. 055	old gold spotted light			
	No. 054	old gold spotted normal			
	No. 056	old gold spotted dark			
	No. 052	old brass light			
	No. 051	old brass normal			
	No. 053	old brass dark			
	Colour Group III	No. 058	brass relieved, polished		
No. 059		brass relieved, lacquered			
No. 076		brass relieved, scrubbed			
No. 011		copper relieved, polished			
No. 016		copper relieved, lacquered			
No. 077		copper relieved, scrubbed			


Tacks, blued

blue, with long, pointed tips

	Prod. Nr.	Wire ø [mm]	Length [mm]	Packing unit
	14/7	1,4	7	1 kg
	14/10	1,4	10	1 kg
	14/13	1,4	13	1 kg
	16/13	1,6	13	1 kg
	16/16	1,6	16	1 kg
	17/20	1,7	20	1 kg


Nails for upholstery

plain, with long, pointed tips

	Prod. Nr.	Wire ø [mm]	Length [mm]	Packing unit
	18/17	1,8	17	1 kg
	20/17	2,0	17	1 kg
	20/20	2,0	20	1 kg
	22/22	2,2	22	1 kg
	22/25	2,2	25	1 kg
	25/25	2,5	25	1 kg


Wire Pins

with grooved shank, button head

	Prod. Nr.	Wire ø [mm]	Length [mm]	Packing unit
	18/18	1,8	17	1 kg
	18/25	1,8	25	1 kg
	20/20	2,0	20	1 kg
	22/22	2,2	22	1 kg
	25/25	2,5	25	1 kg
	25/35	2,5	35	1 kg


Wire Staples

extra sharp, with straight tips

	Prod. Nr.	Wire ø [mm]	Length [mm]	Packing unit
	20/22	2,0	22	1 kg
	22/25	2,2	25	1 kg

Nails with pointed shank

blue - particularly sharp


	Prod. Nr.	Length [mm]	Packing unit
	FN 6	6	1 kg
	FN 8	8	1 kg
	FN 10	10	1 kg
	FN 13	13	1 kg
	FN 16	16	1 kg
	FN 18	18	1 kg
	FN 20	20	1 kg
	FN 22	22	1 kg

Wire Pins - round head (also available with button head)

Nickel-plated or brass-plated steel, 1 kg cartons


Brass*, nickel-plated or brass-plated, 1 kg cartons
(max. Diameter 2,00 mm)

The first two numbers of the product number indicate the wire diameter, whereby 14 stands for 1,4 mm. The next numbers stand for the length, whereby 13 stands for 13 mm. The following R stands for round-headed wire pins. If you are ordering button head pins, replace the R with HR.


	Prod. Nr.							
	10/10R	12/10R	14/13R	16/17R	18/25R	20/25R	22/25R	25/30R
	10/12R	12/15R	14/15R	16/20R	18/30R	20/30R	22/30R	25/40R
	10/15R	12/20R	14/20R	16/25R	18/35R	20/35R	22/35R	25/50R
			14/25R			20/40R	22/40R	

Chair buttons with wire eye

Chair button parts - **upper parts (shell) bright steel**, packed in bags.


	Prod. Nr.	Diameter [mm]	Weight per 1.000	Packing unit
	Upper part - 24"	14 mm	0,4	1.000
	Upper part - 28"	18 mm	0,6	1.000
	Upper part - 32"	20 mm	0,7	1.000
	Upper part - 36"	22 mm	0,9	500
	Upper part - 44"	28 mm	1,4	250
	Upper part - 60"	38 mm	3,2	250

Chair button parts - **lower parts (back) galvanised steel**, packed in bags.

	Prod. Nr.	Diameter [mm]	Weight per 1.000	Packing unit
	Lower part - 24"	14 mm	0,5	1.000
	Lower part - 28"	18 mm	0,7	1.000
	Lower part - 32"	20 mm	0,8	1.000
	Lower part - 36"	22 mm	0,9	500
	Lower part - 44"	28 mm	1,4	250
	Lower part - 60"	38 mm	4,7	250


Button thread

made of nylon, surface waxed, very sturdy quality, multi-purpose.

	Prod. Nr.	Weight per item [kg]	Packing unit
	25203	0,5	Roll c. 700 m


Plastic head pins

with plastic head, packed in plastic boxes

	Prod. Nr.	Length [mm]	Head ø [mm]	Weight per 1.000	Packing unit
	4/0 red	50	8 mm	1,5	100
	4/0 green	50	8 mm	1,5	100
	4/0 yellow	50	8 mm	1,5	100
	4/0 blue	50	8 mm	1,5	100
	4/0 white	50	8 mm	1,5	100


Carpet Bushes

Plastic with flexible shank guide for carpet nails

	Prod. Nr.	Weight per 1.000	Packing unit
	4 K	0,45	100


Carpet Nails

Carpet Nails, brass-plated steel or brass head, brass-plated shaft

	Prod. Nr.	Head ø	Head height [mm]	Wire ø [mm]	Shank length [mm]	Weight per 1.000	Packing unit	
	1020/30	14,0	4,5	3,0	30	3,50	100	
	1020/50	14,0	4,5	3,0	50	4,64	100	


Carpet Pins

Carpet Pins, bright, blue, brass-plated or nickel-plated steel

	Prod. Nr.	Head ø	Head height [mm]	Wire ø [mm]	Pin length [mm]	Weight per 1.000	Packing unit
	15T	15,0	2,8	1,4	13	1,8	1.000
	18T	18,0	2,8	1,75	13	3,5	500


Wallpaper sample book nails

Wallpaper sample book nails with grooved shank. Head design flat or round. Brass-plated or nickel-plated steel


	Prod. Nr.	Head ø [mm]	Head height [mm]	Wire ø [mm]	Shank length [mm]	Weight per 1.000	Packing unit
	T10Sx15	10	2,0	2,5	15	1,3	1.000
	T10Sx20	10	2,0	2,5	20	1,5	1.000
	T10Sx25	10	2,0	2,5	25	1,7	1.000
	T10Sx30	10	2,0	2,5	30	2,0	1.000
	T10Sx35	10	2,0	2,5	35	2,1	1.000
	T10Sx40	10	2,0	2,5	40	2,2	500
	263/AS/15	12	2,8	2,5	15	2,0	1.000
	263/AS/20	12	2,8	2,5	20	2,2	1.000
	263/AS/25	12	2,8	2,5	25	2,3	1.000
	263/AS/30	12	2,8	2,5	30	2,4	1.000
	263/AS/35	12	2,8	2,5	35	2,7	500
	263/AS/40	12	2,8	2,5	40	2,8	500
	14F/15	14	1,6	2,5	15	2,6	1.000
	14F/20	14	1,6	2,5	20	2,8	500
	14F/25	14	1,6	2,5	25	3,0	500
	14F/30	14	1,6	2,5	30	3,1	500
14F/35	14	1,6	2,5	35	3,2	500	
14F/40	14	1,6	2,5	40	3,4	500	

Suitcase Nails

Suitcase Nails, trunk nails, flat head, with 2 prongs, also available with pin


	Prod. Nr.	Head ø [mm]	Head height [mm]	Prong width [mm]	Prong length [mm]	Weight per 1.000	Packing unit
	1014	11	4,5	1,6	18	1,61	1.000
	1012	12	4,7	1,6	19	1,90	1.000
	1011	13	5,0	1,6	19	2,30	1.000
	1010	15	5,8	2,0	20	2,70	1.000
	1009	16	6,5	2,0	20	3,40	500
	1008	18	7,2	2,0	20	4,30	500
	1007	19	7,2	2,0	18	4,90	500
	1006	20	7,2	2,0	20	4,66	500
	1004	22	8,0	2,5	23	6,88	500

Suitcase Nails, trunk nails, domed head, with 2 prongs, also available with pin

	Prod. Nr.	Head ø [mm]	Head height [mm]	Prong width [mm]	Prong length [mm]	Weight per 1.000	Packing unit
	1010 H	15	8	2,0	20	3,4	500
	1009 H	16	9	2,0	20	5,0	500
	1008 H	18	11	2,0	18	6,1	250
	1006 H	20	12	2,0	18	8,0	250
	302	24	11	2,8	30	8,0	250


Suitcase Rivets

Suitcase Rivets with pin

	Prod. Nr.	Head ø [mm]	Head height [mm]	Pin ø [mm]	Pin length [mm]	Weight per 1.000	Packing unit
	326	6,5	2,5	1,8	21	0,7	1.000
	322	8,5	2,4	2,2	26	1,5	1.000
	320	10,0	3,0	2,2	33	2,1	1.000
	318	11,0	3,0	3,0	38	3,4	500
	311	15,0	4,0	3,0	38	5,2	250


Floor Studs

Floor Studs with 2 prongs, also available with pin


	Prod. Nr.	Head ø [mm]	Head height [mm]	Prong width [mm]	Prong length [mm]	Weight per 1.000	Packing unit
	610	8,0	3,0	1,2	19	0,6	1.000
	608	10,5	7,0	1,6	18	1,8	1.000
	606	13,0	8	1,6	16	2,6	500
	604	13,5	9	1,6	16	3,2	500

Suitcase Bottom Studs

Suitcase Bottom Studs for suitcases and bags with 2 prongs for automatic fixing. Brass-plated or nickel-plated surface


	Prod. Nr.	Head ø [mm]	Height excluding prongs [mm]		Prong length [mm]	Weight per 1.000	Packing unit
	15 J	15,0	4,5		6,8	1,2	1.000
	15 H	15,0	7,0		8,0	1,8	1.000
	18 H	18,1	7,2		7,5	2,2	500
	18 HH	18,0	9,5		7,5	2,8	500
	18 HH/LZ	18,0	11,0		9,5	3,5	500
	18 HH/EL	18,0	9,5		11,0	3,1	500

Suitcase Bottom Studs for suitcases and bags with 3 prongs for attaching by hand. Brass-plated or nickel-plated surface


	Prod. Nr.	Head ø [mm]	Height excluding prongs [mm]		Prong length [mm]	Weight per 1.000	Packing unit
	15/3	15,0	5,3		7,5	1,5	1.000

Base Rosettes

Base Rosettes for suitcases and bags, made of steel, brass-plated or nickel-plated surface


	Prod. Nr.	Diameter [mm]	Height [mm]	Hole ø [mm]		Weight per 1.000	Packing unit
	359/21	21,0	7,0	4,5		2,4	500
302 HR	23,0	13,0	5,1		6,2	250	

Base Rosettes for suitcases and bags, made of plastic (HDPE), colour black.

	Prod. Nr.	Diameter [mm]	Height [mm]	Hole ø [mm]		Weight per 1.000	Packing unit
	302 K	18,0	10	4,1		1,6	500
302 KH	20,0	13	4,1		2,0	250	



Steel pins for picture hanging

Steel pins for picture hanging, with brass covered head, material: hardened steel, blued

	Prod. Nr.	Head ø [mm]		Wire ø [mm]	Shank length [mm]	Weight per 1.000	Packing unit
	344/26	6,0			1,4	26	0,4
344/20	6,0			2,0	20	0,8	1.000
344/25	6,0			2,0	25	0,9	1.000
344/30	6,0			2,0	30	1,0	1.000
344/40	6,0			2,0	40	1,2	1.000
344/50	6,0			2,0	50	1,4	1.000

Steel Hooks

Material: hardened, blued or brass-plated steel, square wire

 	Prod. Nr.			Wire ø [mm]	Shank length [mm]	Weight per 1.000	Packing unit
	345/20				2,0	20	0,6
345/25				2,0	25	0,8	1.000
345/30				2,2	30	0,9	1.000
345/40				2,5	40	1,8	1.000
345/50				2,5	50	2,4	1.000
345/60				2,5	60	2,7	1.000
345/70				3,0	70	4,4	1.000
345/50				4,0	50	6,0	1.000
345/60				4,0	60	7,2	1.000
345/70				4,0	70	8,4	1.000

Furniture Gliders made of plastic, metal, with felt for chairs, tables, armchairs



with **plastic sliding surface**.

Material: HDPE or polyamide*

Colour: white or brown (special colours and designs possible.)

Prod. Nr.	Diameter [mm]	Height c. [mm]	Pin ø [mm]	Pin length c. [mm]	Weight per 1.000	Packing unit
64/10	10	5	2,0	15	0,8	100
64/13	13	5	2,0	15	1,0	100
64/15	15	5	2,0	15	1,4	100
64/18	18	5	2,0	15	1,8	100
64/20	20	5	2,0	15	2,1	100
64/22	22	5	2,0	15	2,4	100
64/25 *	25	5	2,0	15	3,5	100
64/30 *	30	5	2,0	15	4,2	100



with **plastic sliding surface** for rectangular furniture legs, 2 pins prevent turning

Material: HDPE or polyamide

Colour: white or brown (special colours and designs possible.)

Prod. Nr.	Dimensions [mm]	Height c. [mm]	Pin ø [mm]	Pin length c. [mm]	Weight per 1.000	Packing unit
10071	30 x 18 mm	5	2,0	12	3,50	100
10060	39 x 16 mm	5	2,0	12	3,45	100



with **plastic sliding surface** for elliptical furniture legs, 2 pins prevent turning

Material: HDPE or polyamide

Colour: white or brown (special colours and designs possible.)

Prod. Nr.	Dimensions [mm]	Height c. [mm]	Pin ø [mm]	Pin length c. [mm]	Weight per 1.000	Packing unit
72	45 x 20 mm	5	2,0	13	4,6	100
10065	44 x 16 mm	5	2,0	11	4,6	100
10069	35 x 18 mm	5	2,0	10	3,8	100
10070	44 x 18 mm	5	2,0	10	4,4	100
10077	62 x 18 mm	5	2,0	10	5,7	100



with **plastic sliding surface** for oval furniture legs, 2 pins prevent turning.

Material: HDPE or polyamide

Colour: white or brown (special colours and designs possible.)

Prod. Nr.	Dimensions [mm]	Height c. [mm]	Pin ø [mm]	Pin length c. [mm]	Weight per 1.000	Packing unit
10074	40 x 25 mm	5	2,0	10	4,3	100



with **plastic sliding surface**, self-levelling soft plastic cushion, reduces noise, elastic

Material: HDPE or polyamide, PVC
Colour: white or brown (special colours and designs possible.)

Prod. Nr.	Diameter [mm]	Height c. [mm]	Pin ø [mm]	Pin length c. [mm]	Weight per 1.000	Packing unit
73/15	15	10	2,0	15	2,2	100
73/18	18	10	2,0	15	2,8	100
73/20	20	10	2,0	15	3,6	100
73/22	22	10	2,0	15	4,1	100
73/25	25	10	2,0	15	5,8	100
73/30	30	10	2,0	15	7,2	100



with **plastic sliding surface**, movable pin also allows use for angled legs by means of a plastic cushion

Material: polyamide, PVC
Colour: white or brown (special colours and designs possible.)

Prod. Nr.	Diameter [mm]	Height c. [mm]	Pin ø [mm]	Pin length c. [mm]	Weight per 1.000	Packing unit
7399/18	18	10	2,2	15	3,3	100
7399/20	20	10	2,2	14	4,0	100
7399/23	23	10	2,2	14	5,0	100
7399/26	26	10	2,2	14	7,2	100
7399/30	30	10	2,2	14	9,0	100



with **plastic sliding surface**, for oval and rectangular furniture legs; 2 pins prevent turning, self-levelling plastic cushion, reduces noise, elastic

Material: HDPE, PVC
Colour: white or brown (special colours and designs possible.)

Prod. Nr.	Length x width [mm]	Height c. [mm]	Pin ø [mm]	Pin length c. [mm]	Weight per 1.000	Packing unit
71/45x20	45 x 20 mm	10	2,0	13	11,0	100



with **plastic sliding surface**, for oval and rectangular furniture legs; 2 pins prevent turning, self-levelling plastic cushion, reduces noise, elastic

Material: HDPE, PVC
Colour: white or brown (special colours and designs possible.)

Prod. Nr.	Length x width [mm]	Height c. [mm]	Pin ø [mm]	Pin length c. [mm]	Weight per 1.000	Packing unit
10073	30 x 18 mm	10	2,0	12	7,4	100



with **plastic sliding surface**, with deep lying notches,
for fixing with cramps

Material: LDPE
Colour: white or brown (special colours and designs possible.)

Prod. Nr.	Length x width [mm]	Height c. [mm]			Weight per 1.000	Packing unit
10075	30 x 16 mm	4			1,8	500



with **plastic sliding surface**, with sunken drill hole,
for screwing, tacking etc.

Material: LDPE
Colour: white or brown (special colours and designs possible.)

Prod. Nr.	Outside ø [mm]	Inside ø [mm]	Height [mm]		Weight per 1.000	Packing unit
69/21	21	3,5	6,5		1,9	250
69/25	25	3,5	6,5		2,3	250



with **plastic sliding surface**, for inserting into drill holes

Material: PP
Colour: white

Prod. Nr.	Larger ø [mm]	Smaller ø [mm]	Height large [mm]	Height small [mm]	Weight per 1.000	Packing unit
511 a	25	15	8,0	10,0	4,6	500



with **metal sliding surface**, fixing by means of 3 prongs

Material: steel
Surface: nickel-plated

Prod. Nr.	Diameter [mm]	Height c. [mm]			Weight per 1.000	Packing unit
65/10	10	2,7			0,8	1.000
65/13	13	3,6			1,5	1.000
65/15	15	3,8			1,8	100
65/18	18	4,2			2,5	100
65/20	20	4,2			2,9	100
65/22	22	4,2			3,2	100
65/24	24	4,5			3,8	100
65/27	27	4,8			6,0	100
65/30	30	5,7			6,7	100
65/35	35	6,0			8,2	100
65/38	38	6,5			9,5	100



with **metal sliding surface**, fixing by means of central pin

Material: steel
Surface: nickel-plated


Prod. Nr.	Diameter [mm]	Height c. [mm]	Pin ø [mm]	Pin length c. [mm]	Weight per 1.000	Packing unit
66/13	13	3,0	1,4	12	1,20	1.000
66/15	14	3,0	1,4	14	1,80	100
66/16	16	3,2	1,75	14	2,13	100
66/18	18	4,0	1,75	16	4,00	100
66/20	20	4,0	2,0	18	5,06	100
66/23	23	4,0	2,0	19	6,63	100
66/25	25	4,0	2,0	19	7,98	100
66/28	28	5,0	2,0	20	9,94	100
66/30	30	5,0	2,0	20	11,18	100
66/35	35	5,0	2,5	27	15,30	100



with **metal sliding surface**, fixing by means of central pin, reduces noise, sprung by means of attached plastic washer

Material: steel and PVC
Surface: nickel-plated

Prod. Nr.	Diameter [mm]	Height c. [mm]	Pin ø [mm]	Pin length c. [mm]	Weight per 1.000	Packing unit
6699/18	18	8	2,0	11	4,70	100
6699/20	20	10	2,0	13	6,40	100
6699/23	23	10	2,0	14	8,30	100
6699/25	25	9	2,0	15	10,20	100
6699/28	28	10	2,0	16	12,50	100
6699/30	30	10	2,0	15	13,50	100
6699/35	35	9	2,5	20	20,70	100



with **metal sliding surface**, fixing by means of central pin, movable pin also allows use for angled furniture legs by means of a plastic cushion

Material: steel and PVC
Surface: nickel-plated

Prod. Nr.	Diameter [mm]	Height c. [mm]	Pin ø [mm]	Pin length c. [mm]	Weight per 1.000	Packing unit
76/18	18	9	2,4	14	4,60	100
76/20	20	9	2,4	14	5,60	100
76/23	23	10	2,4	15	6,70	100
76/26	26	11	2,4	15	12,80	100
76/28	28	10	2,4	15	10,00	100
76/30	30	10	2,4	14	17,10	100
76/35	35	10	2,4	23	16,00	100
76/40	40	10	3,0	26	35,00	50



with **metal sliding surface**, fixing by means of central pin,
with very movable pin for extremely angled
furniture legs

Material: steel and HDPE
Surface: nickel-plated

Prod. Nr.	Diameter [mm]	Height c. [mm]	Pin ø [mm]	Pin length c. [mm]	Weight per 1.000	Packing unit
77/23	23	10	2,3	13	8,0	100
77/27	27	10	2,3	13	10,7	100



with **metal sliding surface**, fixing by means of central pin,
movable pin also allows use for angled furniture
legs by means of a plastic cushion,
rust protection by means of Nirosta stainless steel material

Material: Nirosta and PVC
Surface: bright

Prod. Nr.	Diameter [mm]	Height c. [mm]	Pin ø [mm]	Pin length c. [mm]	Weight per 1.000	Packing unit
74/18	18	9	2,4	14	6,0	100
74/20	20	9	2,4	15	6,7	100
74/23	23	9	2,4	15	8,7	100
74/26	26	11	2,4	15	12,9	100
74/30	30	10	2,4	14	16,9	100
74/40	40	10	2,4	27	32,0	100



with **metal sliding surface**, with threaded pin

Material: steel and PVC
Surface: nickel-plated

Prod. Nr.	Diameter [mm]	Height c. [mm]	Thread	Thread length [mm]	Weight per 1.000	Packing unit
76/23 M 8 x 25	23	10	M 8	25	21,8	100
76/30 M 5 x 15	30	10	M 5	15	20,2	100
76/30 M 6 x 13	30	10	M 6	13	21,9	100
76/30 M 8 x 15	30	10	M 8	15	27,8	100
76/30 M 8 x 20	30	11	M 8	20	30,0	100
76/30 M 8 x 25	30	10	M 8	25	32,2	100
76/30 M10 x 25	30	11	M 10	25	41,5	100
76/35 M 6 x 13	35	10	M 6	13	20,0	100
76/40 M 8 x 20	40	10	M 8	20	42,0	100



with **metal sliding surface**, with threaded pin

Material: Nirosta and PVC
Surface: bright

Prod. Nr.	Diameter [mm]	Height c. [mm]	Thread	Thread length [mm]	Weight per 1.000	Packing unit
74/23 M 8 x 25	23	10	M 8	25	21,8	100
74/30 M 5 x 15	30	10	M 5	15	20,2	100
74/30 M 6 x 13	30	11	M 6	13	21,9	100
74/30 M 8 x 15	30	11	M 8	15	27,8	100
74/30 M 8 x 20	30	11	M 8	20	30,0	100
74/30 M 8 x 25	30	10	M 8	25	32,2	100
74/30 M10 x 25	30	10	M 10	25	41,5	100
74/40 M 8 x 20	40	10	M 8	20	42,0	100



with **felt sliding surface**, fixing by means of central pin, light quality.

Material: polystyrene
Colour: white or brown, felt grey

Prod. Nr.	Diameter [mm]	Height c. [mm]	Pin ø [mm]	Pin length c. [mm]	Weight per 1.000	Packing unit
111/17	17	8	1,6	13	1,6	100
111/20	20	8	1,6	13	1,8	100
111/24	24	8	1,6	13	2,7	100
111/28	28	8	1,6	13	3,3	100



with **felt sliding surface**, fixing by means of central pin, quiet due to highly stiffened wool felt

Material: polystyrene
Colour: white or brown

Prod. Nr.	Felt ø [mm]	Diameter [mm]	Height c. [mm]	Pin ø [mm]	Pin length c. [mm]	Weight per 1.000	Packing unit
100/14	14	17	10	2,4	15	2,1	100
100/17	17	21	10	2,4	15	2,8	100
100/20	20	24	10	2,4	15	3,8	100
100/24	24	27	10	2,4	15	4,6	100
100/28	28	32	10	2,4	15	7,1	100



with **felt sliding surface**, fixing by means of tenon quiet due to tiffened wool felt

Material: polystyrene

Colour: white or brown, felt grey

Prod. Nr.	Felt - ø [mm]	Diameter [mm]	Height c. [mm]	ø [mm]	length c. [mm]	Weight per 1.000	Quantity In pack
100/17 tenon	17	21	10	10	13	2,7	100
100/20 tenon	20	24	10	10	13	3,7	100
100/24 tenon	24	27	10	10	13	4,4	100



with **felt sliding surface**, fixing by means of central pin, quiet and gentle on floors due to very high-quality, soft wool felt

Material: polystyrene

Colour: white or brown, felt grey

Prod. Nr.	Felt ø [mm]	Diameter [mm]	Height c. [mm]	Pin ø [mm]	Pin length c. [mm]	Weight per 1.000	Packing unit
112/17	17	21	10	2,4	15	3,0	100
112/20	20	24	10	2,4	15	3,8	100
112/24	24	27	10	2,4	15	4,3	100
112/28	28	32	10	2,4	15	7,3	100



with **felt sliding surface**, fixing by means of 2 pins, for oval furniture legs, quiet and gentle on floors due to very high-quality soft wool felt

Material: polystyrene

Colour: grey

Prod. Nr.	Length x width [mm]	Height c. [mm]	Pin ø [mm]	Pin length c. [mm]	Weight per 1.000	Packing unit
10063	38 x 18	10	2,0	13	7,1	100



with **felt sliding surface**, fixing by means of 2 pins, for oval furniture legs, quiet and gentle on floors due to very high-quality soft wool felt

Material: polystyrene

Colour: grey

Prod. Nr.	Length x width [mm]	Height c. [mm]	Pin ø [mm]	Pin length c. [mm]	Weight per 1.000	Packing unit
10066	40 x 25	10	2,0	13	10,0	100



with **felt sliding surface**, fixing by means of 2 pins, for oval furniture legs, quiet and gentle on floors due to very high-quality soft wool felt

Material: polystyrene

Colour: grey

Prod. Nr.	Length x width [mm]	Height c. [mm]	Pin ø [mm]	Pin length c. ca. [mm]	Weight per 1.000	Packing unit
10078	62 x 18	10	2,0	15	9,0	100



with **felt sliding surface**, fixing by means of 2 pins, for oval furniture legs, quiet and gentle on floors due to very high-quality soft wool felt

Material: polystyrene
Colour: grey

Prod. Nr.	Length x width [mm]	Height c. [mm]	Pin ø [mm]	Pin length c. [mm]	Weight per 1.000	Packing unit
10072	30 x 18	10	2,0	13	6,2	100



with **felt sliding surface**, with recessed head screw (PZ2) (Also available with M4 bolt)

Material: polystyrene
Colour: white or brown, felt grey

Prod. Nr.	Diameter [mm]	Height c. [mm]	Screw [mm]	Length c. [mm]	Weight per 1.000	Packing unit
6799/20	20	8	3,5	20	2,8	100
6799/24	24	8	3,5	20	3,7	100
6799/28	28	8	3,5	20	4,4	100
6799/40	40	10	3,5	20	8,5	100



with **felt sliding surface**, with recessed head screw (PZ2), other screw lengths on request

Material: nickel-plated steel
Colour: felt grey

Prod. Nr.	Diameter [mm]	Height c. [mm]	Screw [mm]	Length c. [mm]	Weight per 1.000	Packing unit
67/18	18	10	3,5	16	3,8	100
67/20	20	10	3,5	16	4,5	100
67/22	22	10	3,5	16	5,4	100
67/24	24	10	3,5	16	6,1	100
67/28	28	10	3,5	16	8,1	100
67/30	30	10	3,5	16	8,3	100
67/35	35	10	3,5	16	11,5	100

Stoppers



Stoppers, with recessed head screw (PZ2), non-slip design due to soft plastic

Material: polystyrene, PVC
Colour: white, brown or black

Prod. Nr.	Diameter [mm]	Height c. [mm]	Screw [mm]	Length c. [mm]	Weight per 1.000	Packing unit
118/24	24	10	3,5	25	5,0	100
118/28	28	10	3,5	25	6,8	100

Furniture Leg Cups



Furniture Leg Cups for round furniture legs

Material: polystyrene, impact-resistant
Colour: clear or mahogany

Prod. Nr.	Inside ø [mm]	Outside ø [mm]	Weight per 1.000	Packing unit
99	15	25	3,0	25
101	23	35	5,5	25
1015	30	42	7,1	25
102	33	46	11,5	25
103	40	55	12,0	25
104	50	65	16,0	25
105	60	75	22,0	25



Furniture Leg Cups for square furniture legs

Material: polystyrene, impact-resistant
Colour: clear or mahogany

Prod. Nr.	Inside dimension [mm]	Outside dimension [mm]	Weight per 1.000	Packing unit
107	30x20	40x40	9,0	25
108	40x40	50x50	15,0	25
109	50x50	60x60	19,0	25
110	60x60	70x70	27,0	25

Furniture slides are parts that require regular inspection and must be replaced when necessary. The surface area of the glides should be as large as possible. The lifetime of the furniture glides is positively influenced by professional floor cleaning and care. For wet cleaning, it is recommended to remove furniture with felt or metal glides from the area to be cleaned and wait until the floor surface has dried completely.

When hammering/screwing the furniture slides into the piece of furniture, make sure that they are fitted professionally. If the glides are not driven in properly, the pins may bend or the wood may splinter. When fixing the furniture glides, it is recommended to drill a pilot hole.

Shelf Supports



Shelf Supports with fixed pin

Material: polystyrene
Colour: white or brown

Prod. Nr.	Diameter [mm]		Pin ø [mm]	Pin length [mm]	Weight per 1.000	Packing unit
3009	16,0		2,2	12	1,2	1.000



Shelf Supports with movable pin

Material: polystyrene
Colour: white or brown

Prod. Nr.	Diameter [mm]		Pin ø [mm]	Pin length [mm]	Weight per 1.000	Packing unit
3010	12,0		2,2	12	1,1	1.000

Small Parts



Stacking Buffers with continuous 5 mm drill hole, for screwing on

Material: HDPE
Colour: grey or black

Prod. Nr.	Inside ø [mm]	Outside ø [mm]	Height [mm]	Drill hole [mm]	Weight per 1.000	Packing unit
10004	14	18	17	5	1,9	1.000



Stacking Buffers with peg to put on

Material: HDPE
Colour: grey

Prod. Nr.	Inside ø [mm]	Outside ø [mm]	Height [mm]	Peg ø [mm]	Weight per 1.000	Packing unit
10002	15	18	17	6	2,0	1.000



Series Connectors for screwing on,
for connecting chairs, tables, etc.

Material: polyamide
Colour: black

Prod. Nr.	Outside ø [mm]	Height [mm]	Weight per 1.000	Packing unit
10055	49	8	15,0	100



Cover Inserts for 8 or 10 mm drill holes

Material: polyethylene
Colour: white, black

Prod. Nr.	For drill hole ø [mm]	Outside ø [mm]	Height [mm]	Weight per 1.000	Packing unit
10061/8	8	12,5	6	0,3	1.000
10061/10	10	12,5	6	0,4	1.000



Spacer Sleeves

Material: polyethylene
Colour: grey or black

Prod. Nr.	Outside diameter [mm]	Inside diameter [mm]	Length [mm]	Weight per 1.000	Packing unit
10024 / 3	12	6,5	3	0,22	1.000
10024 / 7	12	6,5	7	0,52	1.000
10024 / 12	12	6,5	12	0,89	1.000
10024 / 18	12	6,5	18	1,33	500
10024 / 25	12	6,5	25	1,85	500
10024 / 27	12	6,5	27	2,00	500

Self-adhesive felts



Self-adhesive round felts, 3 - 4 mm thick, on rolls

Material: needle felt
Colour: white or brown

Prod. Nr.	Diameter [mm]			Thickness [mm]	Weight per 1.000	Packing unit
sk Filze 13	13			3-4	0,2	1.000
sk Filze 15	15			3-4	0,3	1.000
sk Filze 17	17			3-4	0,3	1.000
sk Filze 20	20			3-4	0,4	1.000
sk Filze 22	22			3-4	0,4	1.000
sk Filze 25	25			3-4	0,5	1.000
sk Filze 28	28			3-4	0,6	1.000
sk Filze 30	30			3-4	0,7	1.000
sk Filze 32	32			3-4	0,7	1.000
sk Filze 35	35			3-4	0,9	1.000
sk Filze 40	40			3-4	1,2	1.000
sk Filze 42	42			3-4	1,3	1.000
sk Filze 50	50			3-4	2,0	1.000
sk Filze 60	60			3-4	2,5	1.000



Self-adhesive square felts, 3 - 4 mm thick, on rolls

Material: needle felt
Colour: white or brown

Prod. Nr.	Outside diamensons [mm]			Thickness [mm]	Weight per 1.000	Packing unit
sk Filze 20x20	20 x 20			3-4	0,4	1.000
sk Filze 22x22	22 x 22			3-4	0,5	1.000
sk Filze 25x25	25 x 25			3-4	0,6	1.000
sk Filze 35x35	35 x 35			3-4	0,5	1.000
sk Filze 36x22	36 x 22			3-4	1,0	1.000
sk Filze 40x12	40 x 12			3-4	0,5	1.000
sk Filze 40x20	40 x 20			3-4	0,8	1.000
sk Filze 44x16	44 x 16			3-4	0,7	1.000
sk Filze 50x50	50 x 50			3-4	2,5	1.000
sk Filze 55x55	55 x 55			3-4	1,5	1.000
sk Filze 60x60	60 x 60			3-4	3,0	1.000

Mirror Screws / Decorative Screws

**Mirror Screws** with 1/8" threaded pin

Material: brass
 Surface: polished
 polished, lacquered
 nickel-plated
 chromium-plated
 matt nickel-plated

Prod. Nr.	Diameter [mm]	Height [mm]	Thread ø [mm]	Length [mm]	Weight per 1.000	Packing unit
348/12	12	4,5	1/8"	8,5	1,3	100
348/16	16	5,0	1/8"	9,5	2,8	100
348/19	19	5,0	1/8"	9,5	3,6	100
348/24	24	6,0	1/8"	11,0	5,6	100

**Mirror Screws** with 1/8" threaded pin

Material: brass
 Surface: polished
 polished, lacquered
 nickel-plated
 chromium-plated
 matt nickel-plated

Prod. Nr.	Diameter [mm]	Height [mm]	Thread ø [mm]	Length [mm]	Weight per 1.000	Packing unit
347/12	12	3	1/8"	8	2,3	100
347/14	14	3	1/8"	8	2,8	100
347/18	18	3	1/8"	8	4,6	100
347/21	21	3	1/8"	9	5,7	100

**Mirror Screws** with 1/8" threaded pin

Material: brass
 Surface: polished
 polished, lacquered
 nickel-plated
 chromium-plated
 matt nickel-plated

Prod. Nr.	Diameter [mm]	Height [mm]	Thread ø [mm]	Length [mm]	Weight per 1.000	Packing unit
349/10	10	2,5	1/8"	5	1,0	100
349/13	13	5	1/8"	8	1,8	100
349/15	15	4	1/8"	8	2,3	100
349/18	18	6	1/8"	9	4,0	100
349/24	24	7	1/8"	11	5,4	100

**Mirror Screws** with 1/8" threaded pin

Material: plastic
 Surface: white or black

Prod. Nr.	Diameter [mm]	Height [mm]	Thread ø [mm]	Length [mm]	Weight per 1.000	Packing unit
448/16	16	5,5	1/8"	10	0,9	100
448/20	20	5,5	1/8"	10	1,3	100



Mirror Screws with 1/8" threaded pin

Material: brass
Surface: old silver

Prod. Nr.	Diameter [mm]	Height [mm]	Thread ø [mm]	Length [mm]	Weight per 1.000	Packing unit
350/12	12	4	1/8"	8,5	1,2	100
350/16	16	5	1/8"	9,5	2,8	100



Mirror Screws with 1/8" threaded pin

Material: brass
Surface: bright

Prod. Nr.	Diameter [mm]	Height [mm]	Thread ø [mm]	Length [mm]	Weight per 1.000	Packing unit
586 F	17	3,5	1/8"	9	3,0	100

Woodscrews / Threaded Screws suitable for Mirror Screws



Woodscrews with 1/8" internal thread suitable for mirror screws / decorative screws

Material: galvanised steel or bright brass

Prod. Nr.	Diameter [mm]	Length [mm]	Weight per 1.000	Packing unit
357 / 4,5 x 20	4,5	20	1,7	100
357 / 4,5 x 25	4,5	25	2,2	100
357 / 4,5 x 30	4,5	30	2,7	100
357 / 4,5 x 35	4,5	35	2,9	100
357 / 4,5 x 40	4,5	40	3,5	100
357 / 4,5 x 50	4,5	50	4,6	100
357 / 4,5 x 60	4,5	60	5,8	100



Threaded Screws with 1/8" internal thread suitable for mirror screws / decorative screws

Material: galvanised steel or bright brass



Prod. Nr.	Diameter	Length [mm]	Weight per 1.000	Packing unit
361 / M 5 x 20	M 5	20	2,4	100
361 / M 5 x 30	M 5	30	3,5	100
361 / M 5 x 40	M 5	40	5,2	100
361 / M 5 x 50	M 5	50	6,2	100
361 / M 6 x 20	M 6	20	3,8	100
361 / M 6 x 30	M 6	30	5,8	100
361 / M 6 x 40	M 6	40	7,5	100
361 / M 6 x 50	M 6	50	9,2	100
361 / M 6 x 60	M 6	60	11,0	100

Triangle / Picture Hooks / Pins



Triangle Hooks, steel, brass plated

Prod. Nr.	Length/Width [mm]				Weight per 1.000	Packing unit
Nr. 1	20 x 10				0,6	1.000
Nr. 2	24 x 12				0,9	1.000
Nr. 3	28 x 14				1,2	1.000
Nr. 4	32 x 16				1,6	1.000
Nr. 5	40 x 20				2,6	500




Picture Hooks, steel, brass plated

Nr. 0, 1, 2

Nr. 3

Prod. Nr.	Length/Width [mm]				Weight per 1.000	Packing unit
Nr. 0	6 x 16				0,6	1.000
Nr. 1	6 x 25				0,9	1.000
Nr. 2	8 x 28				1,3	1.000
Nr. 3	20 x 28				2,8	1.000



Pins, hardened, brass plated

Prod. Nr.	Diameter [mm]	Length [mm]			Weight per 1.000	Packing unit
346/1,4x26	1,4	26			0,3	1.000

Washers



Washers

Material:

nickel-plated or brass-plated steel
or pure brass

Prod. Nr.	Outside ø [mm]	Hole ø [mm]	Material thickness [mm]	Weight per 1.000	Packing unit
360/ 10,0 - 3,0 x 0,6	10,0	3,0	0,6	0,3	1.000
360/ 10,0 - 4,0 x 0,6	10,0	4,0	0,6	0,3	1.000
360/ 10,0 - 4,3 x 0,6	10,0	4,3	0,6	0,3	1.000
360/ 10,0 - 4,9 x 0,6	10,0	4,9	0,6	0,3	1.000
360/ 10,0 - 5,1 x 1,0	10,0	5,1	1,0	0,5	1.000
360/ 11,0 - 2,2 x 0,6	11,0	2,2	0,6	0,4	1.000
360/ 12,0 - 3,0 x 0,6	12,0	3,0	0,6	0,5	1.000
360/ 12,0 - 3,2 x 0,8	12,0	3,2	0,8	0,7	1.000
360/ 12,0 - 5,3 x 0,6	12,0	5,3	0,6	0,4	1.000
360/ 12,0 - 5,3 x 1,0	12,0	5,3	1,0	0,7	1.000
360/ 15,0 - 3,2 x 0,6	15,0	3,2	0,6	0,8	1.000
360/ 15,0 - 3,8 x 0,6	15,0	3,8	0,6	0,8	1.000
360/ 15,0 - 4,2 x 0,6	15,0	4,2	0,6	0,8	1.000
360/ 15,0 - 5,0 x 0,6	15,0	5,0	0,6	0,7	1.000
360/ 15,0 - 5,0 x 1,0	15,0	5,0	1,0	1,2	1.000
360/ 15,0 - 5,3 x 1,0	15,0	5,3	1,0	1,2	1.000
360/ 15,0 - 6,4 x 0,6	15,0	6,4	0,6	0,7	1.000
360/ 16,0 - 5,0 x 1,0	16,0	5,0	1,0	1,4	1.000
360/ 18,0 - 6,1 x 1,0	18,0	6,1	1,0	1,8	1.000
360/ 25,5 - 5,5 x 1,0	25,5	5,5	1,0	3,8	1.000
360/ 25,5 - 5,5 x 0,8	25,5	5,5	0,8	3,1	1.000

Rosette Washers for screws**Rosette Washers for screws**

Material: nickel-plated or brass-plated steel
pure or nickel-plated brass

Prod. Nr.	Outside \varnothing [mm]	Hole \varnothing [mm]	Height [mm]	Weight per 1.000	Packing unit
356/ 10 x 3,9	10	3,9	1,8	0,36	1.000
356/ 13 x 4,1	13	4,1	1,8	0,5	1.000
356/ 15 x 5,2	15	5,2	3,0	0,7	1.000
356/ 18 x 5,5	18	5,5	3,0	1,0	1.000
356/ 20 x 6,0	20	6,0	3,0	1,3	1.000
356/ 23 x 6,6	23	6,6	5,0	2,2	1.000

Rosette Washers for sealing screws**Washers**

Material: stainless steel or bright copper

Prod. Nr.	Outside \varnothing [mm]	Hole \varnothing [mm]	Height [mm]	Weight per 1.000	Packing unit
356 B/ 15 x 5,2	15	5,2	3,0	0,7	1.000
356 B/ 18 x 5,5	18	5,5	3,0	1,0	1.000
356 B/ 26 x 5,1	26	5,1	4,0	2,5	1.000

Inserts for square and rectangular tubes



Ribbed inserts with smooth sliding surface for square and rectangular tubes.

The tube inserts are suitable for tubes with a wall thickness of 1,5 to 2,0 mm. Please state the exact tube wall thickness when ordering.

Material: polyethylene
Colour: black, white, grey, special colours on request

Prod. Nr.	Outer tube dimensions [mm]			Weight per 1.000	Packing unit
85 / 15 x 15	15 x 15			1,4	1.000
85 / 16 x 16	16 x 16			1,6	1.000
85 / 18 x 18	18 x 18			2,0	1.000
85 / 20 x 10	20 x 10			1,1	1.000
85 / 20 x 15	20 x 15			1,8	1.000
85 / 20 x 16	20 x 16			1,9	1.000
85 / 20 x 20	20 x 20			2,5	1.000
85 / 22 x 22	22 x 22			2,7	1.000
85 / 25 x 10	25 x 10			1,4	1.000
85 / 25 x 15	25 x 15			2,2	1.000
85 / 25 x 20	25 x 20			3,2	1.000
85 / 25 x 25	25 x 25			4,0	1.000
85 / 28 x 28	28 x 28			4,2	100
85 / 30 x 10	30 x 10			1,9	100
85 / 30 x 15	30 x 15			3,3	100
85 / 30 x 20	30 x 20			3,2	100
85 / 30 x 30	30 x 30			5,3	100
85 / 35 x 20	35 x 20			3,7	100
85 / 35 x 25	35 x 25			4,7	100
85 / 35 x 35	35 x 35			6,5	100
85 / 40 x 20	40 x 20			4,9	100
85 / 40 x 25	40 x 25			5,9	100
85 / 40 x 30	40 x 30			5,1	100
85 / 40 x 40	40 x 40			8,7	100
85 / 45 x 20	45 x 20			4,7	100
85 / 45 x 25	45 x 25			5,3	100
85 / 45 x 45	45 x 45			10,2	100
85 / 50 x 20	50 x 20			6,3	100
85 / 50 x 25	50 x 25			7,2	100
85 / 50 x 30	50 x 30			9,5	100
85 / 50 x 50	50 x 50			12,4	100
85 / 54 x 34	54 x 34			9,7	100
85 / 60 x 20	60 x 20			6,6	100
85 / 60 x 25	60 x 25			8,3	100
85 / 60 x 30	60 x 30			10,2	100
85 / 60 x 40	60 x 40			11,8	100
85 / 60 x 60	60 x 60			20,0	100
85 / 80 x 30	80 x 30			12,3	100
85 / 80 x 40	80 x 40			14,6	100
85 / 120 x 30	120 x 30			18,7	100

Inserts for round tubes

Round ribbed inserts with smooth sliding surface.
The tube inserts are suitable for tubes with a wall thickness of 1,5 to 2,0 mm. Please state the exact tube wall thickness when ordering.

Material: polyethylene
Colour: black, white, grey, special colours on request

Prod. Nr.	Outer tube ø [mm]			Weight per 1.000	Packing unit
GL / 10	10			0,5	1.000
GL / 12	12			0,6	1.000
GL / 13	13			0,8	1.000
GL / 14	14			1,0	1.000
GL / 15	15			1,1	1.000
GL / 16	16			1,2	1.000
GL / 18	18			1,5	1.000
GL / 19	19			1,6	1.000
GL / 20	20			1,8	1.000
GL / 21	21			2,0	1.000
GL / 22	22			2,2	1.000
GL / 23	23			2,4	1.000
GL / 24	24			2,5	1.000
GL / 25	25			2,7	1.000
GL / 26	26			2,8	100
GL / 27	27			3,0	100
GL / 28	28			3,1	100
GL / 30	30			3,4	100
GL / 32	32			4,0	100
GL / 34	34			4,3	100
GL / 35	35			4,6	100
GL / 36	36			5,0	100
GL / 37	37			5,2	100
GL / 38	38			5,6	100
GL / 40	40			6,0	100
GL / 42	42			7,0	100
GL / 48	48			8,2	100
GL / 50	50			9,5	100
GL / 55	55			12,6	100
GL / 60	60			14,5	100

Plastic furniture gliders for round tubes



Sliding surface made of felt, for vertical tube legs
(good sound insulation)

Material: polypropylene
Colour: black

Prod. Nr.	Inner tube ø [mm]	ø of sliding surface [mm]		Weight per 1.000	Packing unit
80 / 10 / 17	10	17		2,8	100
80 / 11 / 20	11	20		3,7	100
80 / 12 / 20	12	20		3,7	100
80 / 13 / 20	13	20		3,9	100
80 / 14 / 20	14	20		4,3	100
80 / 18 / 24	18	24		6,3	100
80 / 19 / 24	19	24		6,8	100



Sliding ferrules to put on the tube end, with steel insert which prevents the tube from being pushed through

Material: PVC
Colour: black, grey, white

Prod. Nr.	Outer tube ø [mm]			Weight per 1.000	Packing unit
82 / 10	10			3,4	100
82 / 12	12			4,3	100
82 / 13	13			5,6	100
82 / 14	14			5,7	100
82 / 16	16			7,1	100
82 / 18	18			9,5	100
82 / 19	19			9,9	100
82 / 20	20			10,8	100
82 / 22	22			13,5	50
82 / 25	25			18,7	50
82 / 26	26			19,9	50
82 / 28	28			19,2	25
82 / 33,5	33,5			28,0	25



Sliding ferrules to put on the tube end

Material: polyethylene
Colour: black, grey, white

Prod. Nr.	Outer tube ø [mm]			Weight per 1.000	Packing unit
84 / 10	10			1,0	1.000
84 / 12	12			1,4	1.000
84 / 14	14			1,6	1.000
84 / 16	16			2,2	1.000
84 / 18	18			2,6	1.000
84 / 19	19			2,7	1.000
84 / 20	20			2,6	1.000
84 / 22	22			3,9	100
84 / 25	25			4,4	100
84 / 26	26			5,2	100
84 / 28	28			8,3	100
84 / 32	32			9,1	100

Glides for Steel Tube Furniture / Supple Glides



Glides to knock into round tubes, with **domed stainless steel top**, especially suitable for slanted tubes.

Material: stainless steel, polypropylene
Colour: plastic black

Prod. Nr.	Inner tube ø [mm]	ø of sliding surface [mm]		Weight per 1.000	Packing unit
70 / 9 / 18	9	18		5,2	100
70 / 10 / 18	10	18		5,4	100
70 / 11 / 18	11	18		5,7	100
70 / 12 / 20	12	20		6,1	100
70 / 13 / 20	13	20		6,1	100
70 / 14 / 20	14	20		6,6	100
70 / 15 / 23	15	23		8,1	100
70 / 16 / 23	16	23		8,4	100
70 / 17 / 23	17	23		8,6	100
70 / 19 / 27	19	27		11,0	100
70 / 20 / 27	20	27		11,3	100
70 / 21 / 27	21	27		11,5	100
70 / 22 / 30	22	30		14,7	100
70 / 23 / 30	23	30		14,8	100
70 / 24 / 30	24	30		14,9	100



Glides to knock into round tubes, with **flat** stainless steel top, especially suitable for vertical tubes.

Material: stainless steel, polypropylene
Colour: plastic black

Prod. Nr.	Inner tube ø [mm]	ø of sliding surface [mm]	Weight per 1.000	Packing unit
71 / 9 / 18	9	18	5,2	100
71 / 10 / 18	10	18	5,4	100
71 / 11 / 18	11	18	5,7	100
71 / 12 / 20	12	20	6,1	100
71 / 13 / 20	13	20	6,1	100
71 / 14 / 20	14	20	6,6	100
71 / 15 / 23	15	23	8,1	100
71 / 16 / 23	16	23	8,4	100
71 / 17 / 23	17	23	8,6	100
71 / 19 / 27	19	27	11,0	100
71 / 20 / 27	20	27	11,3	100
71 / 21 / 27	21	27	11,5	100
71 / 22 / 30	22	30	14,7	100
71 / 23 / 30	23	30	15,2	100



Glides to knock into round tubes, with **flat** plastic top, especially suitable for vertical tubes.

Material: shaft polypropylene, top polyamide
Colour: plastic black, top white or black

Prod. Nr.	Inner tube ø [mm]	ø of sliding surface [mm]	Weight per 1.000	Packing unit
71 / 14 / 20K	14	20	3,8	100
71 / 17 / 23K	17	23	5,3	100



Ribbed Supple Glides to knock into round tubes, especially suitable for slanted tubes

Material: polyethylene, TPE
Sliding surface: nickel-plated or steel

Prod. Nr.	Inner tube ø [mm]	ø of sliding surface [mm]		Weight per 1.000	Packing unit
86 / 10L / 23M	10	23		10,2	100
86 / 12L / 23M	12	23		10,4	100
86 / 14L / 23M	14	23		11,2	100
86 / 14L / 27M	14	27		14,3	100
86 / 15L / 23M	15	23		11,6	100
86 / 15L / 27M	15	27		14,5	100
86 / 16L / 23M	16	23		12,1	100
86 / 16L / 27M	16	27		14,8	100
86 / 18L / 23M	18	23		12,9	100
86 / 18L / 27M	18	27		15,5	100
86 / 19L / 23M	19	23		13,4	100
86 / 19L / 27M	19	27		16,6	50
86 /17x17L / 23M	17 x 17	23		13,6	100
86 /17x17L / 27M	17 x 17	27		16,8	50



Ribbed Supple Glides to knock into round tubes, especially suitable for slanted tubes

Material: polyethylene, TPE
Sliding surface: polyamide or PA6 or TPE stopping

Prod. Nr.	Inner tube ø [mm]	ø of sliding surface [mm]		Weight per 1.000	Packing unit
86 / 10L / 23K	10	23		6,3	100
86 / 12L / 23K	12	23		7,1	100
86 / 14L / 23K	14	23		8,2	100
86 / 14L / 27K	14	27		8,9	100
86 / 15L / 23K	15	23		8,4	100
86 / 15L / 27K	15	27		9,5	100
86 / 16L / 23K	16	23		8,5	100
86 / 16L / 27K	16	27		10,3	100
86 / 18L / 23K	18	23		9,2	100
86 / 18L / 27K	18	27		10,2	100
86 / 19L / 23K	19	23		9,6	100
86 / 19L / 27K	19	27		10,6	50
86 /17x17L / 23K	17 x 17	23		10,0	100
86 /17x17L / 27K	17 x 17	27		11,1	50



Ribbed Supple Glides to knock into round tubes, especially suitable for slanted tubes

Material: polyethylene, TPE
Colour: plastic black, felt mottled grey

Prod. Nr.	Inner tube ø [mm]	ø of sliding surface [mm]	Weight per 1.000	Packing unit
86 / 10L / 23F	10	23	6,5	100
86 / 12L / 23F	12	23	8,0	100
86 / 14L / 23F	14	23	8,9	100
86 / 14L / 27F	14	27	9,5	100
86 / 15L / 23F	15	23	9,1	100
86 / 15L / 27F	15	27	10,2	100
86 / 16L / 23F	16	23	9,3	100
86 / 16L / 27F	16	27	11,2	100
86 / 18L / 23F	18	23	10,1	100
86 / 18L / 27F	18	27	12,0	100
86 / 19L / 23F	19	23	10,3	100
86 / 19L / 27F	19	27	12,2	50
86 / 17x17L / 23F	17 x 17	23	10,6	100
86 / 17x17L / 27F	17 x 17	27	12,5	50



Ribbed Glides to knock into round tubes, with flat stainless steel top, for vertical tubes

71 / 14L / 20 also available with slanted base
Material: polyethylene, stainless steel
Colour: plastic black

Prod. Nr.	Inner tube ø [mm]	ø of sliding surface [mm]	Weight per 1.000	Packing unit
71 / 14L / 20	14	20	7,0	100
71 / 21L / 30	21	30	8,1	50
71 / 23L / 30	23	30	8,5	50



Ribbed Glides to knock into square and rectangular tubes, with flat stainless steel top, for vertical tubes, wall thickness 1,5 - 2 mm

Material: polyethylene, stainless steel
Colour: plastic white

Prod. Nr.	Outer tube dimensions [mm]	Dimensions of sliding surface [mm]	Weight per 1.000	Packing unit
68 / 20 x 20 L	20 x 20	25 x 25	12,7	100
68 / 25 x 15 L	25 x 15	30 x 20	12,4	100

**Adjusting Inserts** for square tubes

Wall thickness 1,5 - 2,0 mm

The inserts are supplied completely screwed together

Load-bearing capacity of the screw approx. 300 kg

Material: polyamide

Colour: black

Prod. Nr.	Outer tube dimensions [mm]	Screw head	Thread [mm]	Weight per 1.000	Packing unit
VJ 20 x 20	20 x 20	hexagon	M 10 x 25	6,8	100
VJ 22 x 22	22 x 22	hexagon	M 10 x 25	7,7	100
VJ 25 x 25	25 x 25	octagon	M 16 x 25	11,6	100
VJ 30 x 30	30 x 30	octagon	M 22 x 25	15,2	100
VJ 35 x 35	35 x 35	octagon	M 22 x 25	20,0	100
VJ 40 x 40	40 x 40	octagon	M 22 x 25	27,0	100
VJ 45 x 45	45 x 45	octagon	M 30 x 30	36,0	100
VJ 50 x 50	50 x 50	octagon	M 30 x 30	43,5	100

Adjusting Plates with regulating screw**Adjusting Plates** with galvanised screw**Version A** with fixed plate

Material: polypropylene

Colour: black

Prod. Nr.	Plate ø [mm]	Screw [mm]	Weight per 1.000	Packing unit
JT 38 / A M8x16	38	M 8 x 16	19,0	50
JT 38 / A M8x20	38	M 8 x 20	20,0	50
JT 38 / A M8x30	38	M 8 x 30	23,3	50
JT 38 / A M8x40	38	M 8 x 40	25,6	50
JT 38 / A M8x50	38	M 8 x 50	28,7	50
JT 38 / A M8x60	38	M 8 x 60	31,8	50
JT 38 / A M10x16	38	M 10 x 16	28,0	50
JT 38 / A M10x20	38	M 10 x 20	29,0	50
JT 38 / A M10x30	38	M 10 x 30	34,3	50
JT 38 / A M10x40	38	M 10 x 40	39,2	50
JT 38 / A M10x50	38	M 10 x 50	44,4	50
JT 38 / A M10x60	38	M 10 x 60	49,8	50
JT 48 / A M8x16	48	M 8 x 16	20,3	50
JT 48 / A M8x20	48	M 8 x 20	21,7	50
JT 48 / A M8x30	48	M 8 x 30	24,7	50
JT 48 / A M8x40	48	M 8 x 40	27,0	50
JT 48 / A M8x50	48	M 8 x 50	31,1	50
JT 48 / A M8x60	48	M 8 x 60	33,0	50
JT 48 / A M10x16	48	M 10 x 16	29,0	50
JT 48 / A M10x20	48	M 10 x 20	30,0	50
JT 48 / A M10x30	48	M 10 x 30	35,0	50
JT 48 / A M10x40	48	M 10 x 40	40,0	50
JT 48 / A M10x50	48	M 10 x 50	46,0	50
JT 48 / A M10x60	48	M 10 x 60	52,0	50



Adjusting Plates with galvanised screw
Version B with revolving plate

Material: polypropylene
Colour: black

Prod. Nr.	Plate ø [mm]		Screw [mm]	Weight per 1.000	Packing unit
JT 38 / B M8x16	38		M 8 x 16	19,0	50
JT 38 / B M8x20	38		M 8 x 20	20,2	50
JT 38 / B M8x30	38		M 8 x 30	23,3	50
JT 38 / B M8x40	38		M 8 x 40	25,6	50
JT 38 / B M8x50	38		M 8 x 50	28,7	50
JT 38 / B M8x60	38		M 8 x 60	31,8	50
JT 38 / B M10x16	38		M 10 x 16	28,0	50
JT 38 / B M10x20	38		M 10 x 20	29,0	50
JT 38 / B M10x30	38		M 10 x 30	36,0	50
JT 38 / B M10x40	38		M 10 x 40	38,0	50
JT 38 / B M10x50	38		M 10 x 50	44,0	50
JT 38 / B M10x60	38		M 10 x 60	51,0	50
JT 48 / B M8x16	48		M 8 x 16	20,3	50
JT 48 / B M8x20	48		M 8 x 20	21,7	50
JT 48 / B M8x30	48		M 8 x 30	24,7	50
JT 48 / B M8x40	48		M 8 x 40	26,0	50
JT 48 / B M8x50	48		M 8 x 50	31,1	50
JT 48 / B M8x60	48		M 8 x 60	36,0	50
JT 48 / B M10x16	48		M 10 x 16	29,0	50
JT 48 / B M10x20	48		M 10 x 20	30,0	50
JT 48 / B M10x30	48		M 10 x 30	35,0	50
JT 48 / B M10x40	48		M 10 x 40	40,0	50
JT 48 / B M10x50	48		M 10 x 50	46,0	50
JT 48 / B M10x60	48		M 10 x 60	52,0	50



Inserts for round tubes with metal thread

Material: polyamide
Colour: black

Prod. Nr.	Outer tube ø [mm]	Tube wall thickness [mm]	Thread	Overall height [mm]	Weight per 1.000	Packing unit
96 / 25 x 1,5 M8	25	1,5	M 8	30	12,0	100
96 / 25 x 1,5 M10	25	1,5	M 10	30	16,5	100
96 / 32 x 1,5 M8	32	1,5	M 8	31	20,0	100
96 / 32 x 1,5 M10	32	1,5	M 10	31	26,0	100
96 / 38 x 1,5 M10	38	1,5	M 10	31	27,0	100
96 / 38 x 2,0 M10	38	2,0	M 10	31	26,0	100
96 / 40 x 2,0 M10	40	2,0	M 10	33	29,0	100
96 / 44 x 2,0 M10	44	2,0	M 10	38	38,0	100



Inserts for square tubes with metal thread

Material: polyamide
Colour: black

Prod. Nr.	Outer tube dimensions [mm]	Tube wall thickness [mm]	Thread	Overall height [mm]	Weight per 1.000	Packing unit
93 / 25 x 25	25 x 25	1,5 – 2,0	M 10	20	13,0	100
93 / 30 x 30	30 x 30	1,5 – 2,0	M 10	20	23,1	100

Handwheels and Adjusting Knobs



Handwheel with moulded-in threaded bolt, other threaded bolt dimensions on request

Material: polyethylene, screw galvanised
Colour: plastic black

Prod. Nr.	Handwheel ø [mm]	Thread	Thread length [mm]	Weight per 1.000	Packing unit
10013/50 M6x20	50	M 6	20	20,7	100
10013/50 M8x20	50	M 8	20	28,0	100



Handwheel with moulded-in threaded bush

Material: polyethylene, bush made of brass
Colour: plastic black

Prod. Nr.	Handwheel ø [mm]	Thread	Thread depth [mm]	Weight per 1.000	Packing unit
10013/50 M6	50	M 6	15	21,0	100
10013/50 M8	50	M 8	20	20,5	100

Stamped and Drawn Parts

manufactured from aluminium, brass, steel and stainless steel with the utmost precision



The parts shown on the following pages only reflect part of our capabilities. Please contact us if you are looking for a reliable and highly efficient component supplier for innovative product series.



On request, we carry out the following surface treatments:

- drum deburr, vibratory finishing, grinding and polishing
- powder and wet coating
- galvanising, brass coating, copper plating, black nickel-plating, nickel-plating and chromium plating
depending on the requirements in a dip or drum bath